

# EXHIBIT QQ

**Electric Overhead Tag**

Priority: E Sub Priority: FS  
Date Identified: 09/13/2016

Notification #: 112044188

PM Order #: 31278564

Date Required: 09/13/2017

Identified in Field By: **WDWC** Plat: JJ39  
Street Address: 3683 ATLAS PEAK RD. Circuit: 04329-1104, PUEBLO  
SSD: 1001  
City: NAPA Equipment #: \_\_\_\_\_  
Cross Street: MILLIKEN Pin #: \_\_\_\_\_  
Division: North Bay Pole #: \_\_\_\_\_  
Latitude: 38.416944416400 OIS #: \_\_\_\_\_  
Longitude: 122.255243909400- SAP Func. Location: ED.42-JJ39000000.STRU.POLE  
Description: CRSS\_DECA\_REPL - 3683 ATLAS PEAK SAP Equipment: 102292438  
RD. NAP Accessibility Tier: \_\_\_\_\_

**Item Details**

Facility Type	Damage	Cause	Action
Item 1 CRSS Crossarm	DECA Decayed/Rotten		REPL Replace
<input type="checkbox"/> Completed <input type="checkbox"/> Canceled			
		<input type="checkbox"/> Pole Test Sheet	

**User Status**

Conductor/Operating Information		Field Identification		Field Condition (Exposure)		Field Condition (Accessibility)		Other	
Status	Description	Status	Description	Status	Description	Status	Description	Status	Description
PRI	Primary	INSP	Inspection	XMPT	Exempt from Past Due				
OH	Overhead			REMT	Remote Area				

**Job Estimates****Issued To**

Est. Total Hrs. to Complete: 17 Est. Electric Crew Size: 03 WTC: 605, 2AA\_Genl Repl\_No\_Est\_OH  
Main Work Center: NAPA, Napa Gas Crew Size: 00 MAT: 2AA, OH Genl Repl  
Funded Repair Date: 11/12/2017

Reviewed By: \_\_\_\_\_ Date of Field Review: \_\_\_\_\_  
Completed or Canceled in Field By (LAN ID): ☐☐☐☐ If No LAN ID Last Name, First Name: \_\_\_\_\_  
Complete or Cancel Date: \_\_\_\_\_ Actual Hours: \_\_\_\_\_ \*Check One: PG&E Crew ☐ T-Man ☐ Contractor ☐  
\*Check One: Completed ☐ Canceled ☐ Found Completed Upon Arrival ☐

Signature: \_\_\_\_\_  
I verify that all maintenance on this notification is addressed (completed, canceled, or found completed upon arrival)

**\*Public Safety & Regulatory Reviewer: If notification was canceled, check one (required):**

- ☐ CONV: Converted to another Notif-Type ☐ DUMM: "Dummy" for order only ☐ DUPL: Duplicate EC for Same Location  
☐ EROR: Created in Error (Desk Cancellation) ☐ NCOA: All Found Completed/Resolved on Arrival ☐ NOCR: No Compelling/Regulator Condition Exist  
☐ PROG: Completed under another Program

**List of Tasks on Notification**